Chemistry and Physics of Lipids, 63 (1992) 271–274
Elsevier Scientific Publishers Ireland Ltd.

Subject Index

Volume 63 (1992)

aggregation, dextran sulfate, liposomes, stearylamine, fusion, fluorescence spectroscopy, freeze fracture electron microscopy, 15
allene fatty acids, cyclopropene fatty acids, fluorofatty acids, Z11-desaturase, inhibition, *Spodoptera littoralis*, 149
Amadori compounds, malondialdehyde, lipid oxidation, linolenic acid, non-enzymic browning, 265
antioxidant, α-tocopherol, vitamin E, liposomes, spin probe, 69
antioxidation, flavonoid, linoleic acid, autoxidation, micelle, 37
argentation chromatography, steroid dienes, dehydrohalogenation, nuclear magnetic resonance spectroscopy, 115
autoxidation, flavonoid, antioxidation, linoleic acid, micelle, 37

bilayer modulation, diacetylenic phospholipids, liposomes, tubules, β-oxydiacetylenic acid, Langmuir film, calorimetry, cooperative unit, optical microscopy, 191
bilayer, fusion, hexagonal phase H_{II}, phospholipids, conformation, 251
bilayer-hexagonal phase transition, tight junctions, non-lamellar lipid phase, fluorescence spectroscopy, calorimetry, 213
bilayers, dimyristoylphosphatidyl glycerol, melittin, interaction, high pressures, infrared spectra, 139

C-glucopyranosides, steroidal *C*-glucosides, *C*-glucosides, *C*-glucosidation, steroids, naphthols, 179
C-glucosidation, steroidal *C*-glucosides, *C*-glucopyranosides, *C*-glucosides, steroids, naphthols, 179
C-glucosides, steroidal *C*-glucosides, *C*-glucopyranosides, *C*-glucosidation, steroids, naphthols, 179
^{13}C-NMR, dihomo-gamma-linolenic acid, deuterium, lipid, fatty acid, 259
calorimetry, diacetylenic phospholipids, liposomes, tubules, bilayer modulation, β-oxydiacetylenic acid, Langmuir film, cooperative unit, optical microscopy, 191
calorimetry, tight junctions, non-lamellar lipid phase, bilayer-hexagonal phase transition, fluorescence spectroscopy, 213
cholesterol transfer, phosphatidylserine, ionic strength, pyrene, fluorescence, 55
cholesterol, phosphatidylserine, phase behaviour, differential scanning calorimetry (DSC), X-ray diffraction, 105
cholesterol, vesicles, solubilization, octylglucoside, diglycerol hexadecylether, turbidity, gel exclusion HPLC, 1
cis-unsaturated fatty acid, fatty acid mixture, phase diagram, miscibility, polymorphism, differential scanning calorimetry (DSC), 243
collapse molecular surface area, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, compression isotherms, collapse pressure, limiting molecular area, surface compressional modulus, polar headgroup conformation, 131
collapse pressure, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, compression isotherms, collapse molecular surface area, limiting molecular area, surface compressional modulus, polar headgroup conformation, 131
compression isotherms, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, collapse molecular surface area, collapse pressure, limiting molecular area, surface compressional modulus, polar headgroup conformation, 131
conformation, bilayer, fusion, hexagonal phase H_{II}, phospholipids, 251
conjugated diacetylenic fatty acids, mass spectrometry, picolinyl esters, 65
cooperative unit, diacetylenic phospholipids, liposomes, tubules, bilayer modulation, β-oxydiacetylenic acid, Langmuir film, calorimetry, optical microscopy, 191
cyclopropene fatty acids, allene fatty acids, fluorofatty acids, Z11-desaturase, inhibition, *Spodoptera littoralis*, 149

dehydrohalogenation, steroid dienes, argentation chromatography, nuclear magnetic resonance spectroscopy, 115
deuterium, dihomo-gamma-linolenic acid, ^{13}C-NMR, lipid, fatty acid, 259
dextran sulfate, liposomes, stearylamine, aggregation, fusion, fluorescence spectroscopy, freeze fracture electron microscopy, 15
diacetylenic phospholipids, liposomes, tubules, bilayer modulation, β-oxydiacetylenic acid, Langmuir film, calorimetry, cooperative unit, optical microscopy, 191
differential scanning calorimetry (DSC), *cis*-unsaturated fatty acid, fatty acid mixture, phase diagram, miscibility, polymorphism, 243
differential scanning calorimetry (DSC), phosphatidylserine, cholesterol, phase behaviour, X-ray diffraction, 105
differential scanning calorimetry, phosphatidic acids, phase diagram, hydrated PA mixture, unhydrated PA mixture, miscibility, 203
diglycerol hexadecylether, vesicles, solubilization, octylglucoside, cholesterol, turbidity, gel exclusion HPLC, 1
dihomo-gamma-linolenic acid, deuterium, ^{13}C-NMR, lipid, fatty acid, 259
dimyristoylphosphatidyl glycerol, bilayers, melittin, interaction, high pressures, infrared spectra, 139

diosmin, flavonoids, model membranes, elasticity modulus, quasi-elastic light scattering, 169
diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, compression isotherms, collapse molecular surface area, collapse pressure, limiting molecular area, surface compressional modulus, polar headgroup conformation, 131

elasticity modulus, flavonoids, diosmin, model membranes, quasi-elastic light scattering, 169
electron paramagnetic resonance (EPR), low-density lipoprotein (LDL) modification, LDL, stabilization of structure, Mn(II) binding, 159
epithelial cells, tight junctions, resistance, non-lamellar lipid phase, 223
ether lipid, phospholipid analog, monolayer, surface pressure, 27

fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, polymorphism, differential scanning calorimetry (DSC), 243
fatty acid, dihomo-gamma-linolenic acid, deuterium, ^{13}C-NMR, lipid, 259
flavonoid, antioxidation, linoleic acid, autoxidation, micelle, 37
flavonoids, diosmin, model membranes, elasticity modulus, quasi-elastic light scattering, 169
fluorescence spectroscopy, dextran sulfate, liposomes, stearylamine, aggregation, fusion, freeze fracture electron microscopy, 15
fluorescence spectroscopy, tight junctions, non-lamellar lipid phase, bilayer-hexagonal phase transition, calorimetry, 213
fluorescence, cholesterol transfer, phosphatidylserine, ionic strength, pyrene, 55
fluorofatty acids, cyclopropene fatty acids, allene fatty acids, Z11-desaturase, inhibition, *Spodoptera littoralis*, 149
Fourier transform infrared spectrometry, pulmonary surfactant, pulmonary surfactant protein B (SP-B), pulmonary surfactant protein C, monomeric form (SP-C), secondary structure, 91
freeze fracture electron microscopy, dextran sulfate, liposomes, stearylamine, aggregation, fusion, fluorescence spectroscopy, 15
fusion, bilayer, hexagonal phase H_{II}, phospholipids, conformation, 251
fusion, dextran sulfate, liposomes, stearylamine, aggregation, fluorescence spectroscopy, freeze fracture electron microscopy, 15

gel exclusion HPLC, vesicles, solubilization, octylglucoside, cholesterol, diglycerol hexadecylether, turbidity, 1

^{1}H- and ^{13}C-NMR, 15-oxygenated sterols, inhibitors of sterol synthesis, 77
^{2}H-NMR, plant sterol, soybean phosphatidylcholine, oriented bilayers, 235
hexagonal phase H_{II}, bilayer, fusion, phospholipids, conformation, 251
high pressures, dimyristoylphosphatidyl glycerol, bilayers, melittin, interaction, infrared spectra, 139
hydrated PA mixture, phosphatidic acids, phase diagram, unhydrated PA mixture, miscibility, differential scanning calorimetry, 203

infrared spectra, dimyristoylphosphatidyl glycerol, bilayers, melittin, interaction, high pressures, 139
inhibition, cyclopropene fatty acids, allene fatty acids, fluorofatty acids, Z11-desaturase, *Spodoptera littoralis*, 149
inhibitors of sterol synthesis, 15-oxygenated sterols, ^{1}H- and ^{13}C-NMR, 77
interaction, dimyristoylphosphatidyl glycerol, bilayers, melittin, high pressures, infrared spectra, 139
ionic stength, cholesterol transfer, phosphatidylserine, pyrene, fluorescence, 55

Langmuir film, diacetylenic phospholipids, liposomes, tubules, bilayer modulation, β-oxydiacetylenic acid, calorimetry, cooperative unit, optical microscopy, 191
LDL, stabilization of structure, electron paramagnetic resonance (EPR), low-density lipoprotein (LDL) modification, Mn(II) binding, 159
light scattering, polymerizable lipid, phosphocholine, lipid microstructures, phase properties, 47
limiting molecular area, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, compression isotherms, collapse molecular surface area, collapse pressure, surface compressional modulus, polar headgroup conformation, 131
linoleic acid, flavonoid, antioxidation, autoxidation, micelle, 37
linolenic acid, Amadori compounds, malondialdehyde, lipid oxidation, non-enzymic browning, 265
lipid microstructures, polymerizable lipid, phosphocholine, phase properties, light scattering, 47
lipid oxidation, Amadori compounds, malondialdehyde, linolenic acid, non-enzymic browning, 265
lipid, dihomo-gamma-linolenic acid, deuterium, ^{13}C-NMR, fatty acid, 259
liposomes, α-tocopherol, vitamin E, spin probe, antioxidant, 69
liposomes, dextran sulfate, stearylamine, aggregation, fusion, fluorescence spectroscopy, freeze fracture electron microscopy, 15
liposomes, diacetylenic phospholipids, tubules, bilayer modulation, β-oxydiacetylenic acid, Langmuir film, calorimetry, cooperative unit, optical microscopy, 191
low-density lipoprotein (LDL) modification, electron paramagnetic resonance (EPR), LDL, stabilization of structure, Mn(II) binding, 159

malondialdehyde, Amadori compounds, lipid oxidation, linolenic acid, non-enzymic browning, 265
mass spectrometry, conjugated diacetylenic fatty acids, picolinyl esters, 65
mass spectrometry, mycolic acids, thermospray, 41
melittin, dimyristoylphosphatidyl glycerol, bilayers, interaction, high pressures, infrared spectra, 139

micelle, flavonoid, antioxidation, linoleic acid, autoxidation, 37
miscibility, *cis*-unsaturated fatty acid, fatty acid mixture, phase diagram, polymorphism, differential scanning calorimetry (DSC), 243
miscibility, phosphatidic acids, phase diagram, hydrated PA mixture, unhydrated PA mixture, differential scanning calorimetry, 203
Mn(II) binding, electron paramagnetic resonance (EPR), low density lipoprotein (LDL) modification, LDL, stabilization of structure, 159
model membranes, flavonoids, diosmin, elasticity modulus, quasi-elastic light scattering, 169
monolayer, phospholipid analog, ether lipid, surface pressure, 27
mycolic acids, mass spectrometry, thermospray, 41

naphthols, steroidal *C*-glucosides, *C*-glucopyranosides, *C*-glucosides, *C*-glucosidation, steroids, 179
non-enzymic browning, Amadori compounds, malondialdehyde, lipid oxidation, linolenic acid, 265
non-lamellar lipid phase, epithelial cells, tight junctions, resistance, 223
non-lamellar lipid phase, tight junctions, bilayer-hexagonal phase transition, fluorescence spectroscopy, calorimetry, 213
nuclear magnetic resonance spectroscopy, steroid dienes, dehydrohalogenation, argentation chromatography, 115

octylglucoside, vesicles, solubilization, cholesterol, diglycerol hexadecylether, turbidity, gel exclusion HPLC, 1
optical microscopy, diacetylenic phospholipids, liposomes, tubules, bilayer modulation, β-oxydiacetylenic acid, Langmuir film, calorimetry, cooperative unit, 191
oriented bilayers, ^{2}H-NMR, plant sterol, soybean phosphatidylcholine, 235
β-oxydiacetylenic acid, diacetylenic phospholipids, liposomes, tubules, bilayer modulation, Langmuir film, calorimetry, cooperative unit, optical microscopy, 191
15-oxygenated sterols, inhibitors of sterol synthesis, ^{1}H- and ^{13}C-NMR, 77
15-oxygenated sterols, steroids, synthesis, 23

phase behaviour, phosphatidylserine, cholesterol, differential scanning calorimetry (DSC), X-ray diffraction, 105
phase diagram, *cis*-unsaturated fatty acid, fatty acid mixture, miscibility, polymorphism, differential scanning calorimetry (DSC), 243
phase diagram, phosphatidic acids, hydrated PA mixture, unhydrated PA mixture, miscibility, differential scanning calorimetry, 203
phase properties, polymerizable lipid, phosphocholine, lipid microstructures, light scattering, 47
phosphatidic acids, phase diagram, hydrated PA mixture, unhydrated PA mixture, miscibility, differential scanning calorimetry, 203
phosphatidylserine, cholesterol transfer, ionic strength, pyrene, fluorescence, 55
phosphatidylserine, cholesterol, phase behaviour, differential scanning calorimetry (DSC), X-ray diffraction, 105
phosphocholine, polymerizable lipid, lipid microstructures, phase properties, light scattering, 47
phospholipid analog, ether lipid, monolayer, surface pressure, 27
phospholipids, bilayer, fusion, hexagonal phase H_{II}, conformation, 251
picolinyl esters, conjugated diacetylenic fatty acids, mass spectrometry, 65
plant sterol, ^{2}H-NMR, soybean phosphatidylcholine, oriented bilayers, 235
polar headgroup conformation, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, compression isotherms, collapse molecular surface area, collapse pressure, limiting molecular area, surface compressional modulus, 131
polymerizable lipid, phosphocholine, lipid microstructures, phase properties, light scattering, 47
polymorphism, *cis*-unsaturated fatty acid, fatty acid mixture, phase diagram, miscibility, differential scanning calorimetry (DSC), 243
pulmonary surfactant protein B (SP-B), pulmonary surfactant, pulmonary surfactant protein C, monomeric form (SP-C), Fourier transform infrared spectrometry, secondary structure, 91
pulmonary surfactant protein C, monomeric form (SP-C), pulmonary surfactant, pulmonary surfactant protein B (SP-B), Fourier transform infrared spectrometry, secondary structure, 91
pulmonary surfactant, pulmonary surfactant protein B (SP-B), pulmonary surfactant protein C, monomeric form (SP-C), Fourier transform infrared spectrometry, secondary structure, 91
pyrene, cholesterol transfer, phosphatidylserine, ionic strength, fluorescence, 55

quasi-elastic light scattering, flavonoids, diosmin, model membranes, elasticity modulus, 169

resistance, epithelial cells, tight junctions, non-lamellar lipid phase, 223

secondary structure, pulmonary surfactant, pulmonary surfactant protein B (SP-B), pulmonary surfactant protein C, monomeric form (SP-C), Fourier transform infrared spectrometry, 91
solubilization, vesicles, octylglucoside, cholesterol, diglycerol hexadecylether, turbidity, gel exclusion HPLC, 1
soybean phosphatidylcholine, ^{2}H-NMR, plant sterol, oriented bilayers, 235
spin probe, α-tocopherol, vitamin E, liposomes, antioxidant, 69
Spodoptera littoralis, cyclopropene fatty acids, allene fatty acids, fluorofatty acids, Z11-desaturase, inhibition, 149
stearylamine, dextran sulfate, liposomes, aggregation, fusion, fluorescence spectroscopy, freeze fracture electron microscopy, 15
steroid dienes, dehydrohalogenation, argentation chromatography, nuclear magnetic resonance spectroscopy, 115

steroidal *C*-glucosides, *C*-glucopyranosides, *C*-glucosides, *C*-glucosidation, steroids, naphthols, 179
steroids, 15-oxygenated sterols, synthesis, 23
steroids, steroidal *C*-glucosides, *C*-glucopyranosides, *C*-glucosides, *C*-glucosidation, naphthols, 179
surface compressional modulus, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, tetraether (caldarchaeol) phosphoglycolipids and glycolipids, compression isotherms, collapse molecular surface area, collapse pressure, limiting molecular area, polar headgroup conformation, 131
surface pressure, phospholipid analog, ether lipid, monolayer, 27
synthesis, steroids, 15-oxygenated sterols, 23

tetraether (caldarchaeol) phosphoglycolipids and glycolipids, diphytanylglycerol ether (archaeol) phospholipids and glycolipids, compression isotherms, collapse molecular surface area, collapse pressure, limiting molecular area, surface compressional modulus, polar headgroup conformation, 131
thermospray, mycolic acids, mass spectrometry, 41
tight junctions, epithelial cells, resistance, non-lamellar lipid phase, 223
tight junctions, non-lamellar lipid phase, bilayer-hexagonal phase transition, fluorescence spectroscopy, calorimetry, 213
α-tocopherol, vitamin E, liposomes, spin probe, antioxidant, 69
tubules, diaceylenic phospholipids, liposomes, bilayer modulation, β-oxydiacetylenic acid, Langmuir film, calorimetry, cooperative unit, optical microscopy, 191
turbidity, vesicles, solubilization, octylglucoside, cholesterol, diglycerol hexadecylether, gel exclusion HPLC, 1

unhydrated PA mixture, phosphatidic acids, phase diagram, hydrated PA mixture, miscibility, differential scanning calorimetry, 203

vesicles, solubilization, octylglucoside, cholesterol, diglycerol hexadecylether, turbidity, gel exclusion HPLC, 1
vitamin E, α-tocopherol, liposomes, spin probe, antioxidant, 69

X-ray diffraction, phosphatidylserine, cholesterol, phase behaviour, differential scanning calorimetry (DSC), 105

Z11-desaturase, cyclopropene fatty acids, allene fatty acids, fluorofatty acids, inhibition, *Spodoptera littoralis*, 149

Chemistry and Physics of Lipids, 63 (1992) 275–276
Elsevier Scientific Publishers Ireland Ltd.

Author Index
Volume 63 (1992)

Absolom, D.R. 91
Ahmed, M.K. 139
Allevi, P. 179
Anastasia, M. 179
Arnold, K. 15
Arsequell, G. 149
Azize, B. 169

Baatz, J.E. 91
Bach, D. 105
Bakos, T. 23
Baral-Tosh, S. 47
Baxter, C. 91
Beaman, B.L. 41
Borochov, N. 105
Brechany, E.Y. 65
Brnjas-Kraljević, J. 159

Camps, F. 149
Cao, A. 169
Chau, S.H. 65
Chen, Z-Y. 259
Cheung, Y.K. 65
Chifu, E. 131
Choma, C.T. 139
Christie, W.W. 65
Ciuffreda, P. 179
Cunnane, S.C. 259

Descomps, B. 259

Epand, R.M. 105

Fabriás, G. 149
Fukuzawa, K. 69

Galla, H-J. 213, 223
Gómez-Sánchez, A. 265
Gosalbo, L. 149

Haag, B. 223
Handjani-Vila, R-M. 1
Hantz-Brachet, E. 169
Hartmann, M-A. 235
Haycock, P.R. 259
Hein, M. 213, 223
Herak, J.N. 159
Herak-Kramberger, C.M. 159
Hermosín, I. 265
Hiramatsu, N. 243
Horváth, J. 23

Ikebata, W. 69
Inoue, T. 203, 243
Ioneda, T. 41

Jürgens, G. 159

Kahn, B. 47
Kates, M. 131
Kinnunen, P.K.J. 251
Krajewski-Bertrand, M-A. 235
Kumadaki, I. 69

Lebeau, L. 27
Ledl, F. 265
Lesieur, S. 1
Lewin, G. 169
Li, Q-T. 55
Lie Ken Jie, M.S.F. 65

Markowitz, M.A. 191
Mädefessel, C. 223
Mendy, F. 259
Mésini, P. 27
Milon, A. 235
Mioskowski, C. 27
Mocanu, A. 131
Motoda, I. 243

Ohki, S. 15
Ollivon, M. 1
Oudet, P. 27

Perret, G. 169
Pifat, G. 159
Pinkerton, F.D. 77
Post, A. 213, 223

Quinn, P.J. 131
Ratna, B.R. 47
Richter, W. 15
Rudolph, A.S. 47
Ruecker, K.E. 77

Sakanaka, T. 69

Sanvito, A.M. 179
Sato, K. 243
Sawyer, W.H. 55
Scala, A. 179
Schnur, J.M. 47
Schroepfer Jr., G.J. 77, 115
Senisterra, G. 105
Seras, M. 1
Shibata, A. 69
Shimozawa, R. 203
Siddiqui, A.U. 77, 115
Singh, A. 191
Smyth, K.L. 91
Suzuki, M. 243
Swaminathan, S. 115

Taillandier, E. 169
Tasaka, T. 203
Teichmann, K. 223
Tomoaia-Cotisel, M. 131
Tsao, L-I. 191

Urano, S. 69

Vincze, I. 23

Wachtel, E. 105
Wang, P-F. 37
Whitsett, J.A. 91
Williams, S.C.R. 259
Wilson, W.K. 77, 115
Wong, P.T.T. 139

Zheng, R-L. 37
Zsako, J. 131
Zschörnig, O. 15

CPL2138